SEDIMENTARY GEOLOGY — VOLUME 82 — NOS. 1–4

Special Volume:

CONTOURITES AND BOTTOM CURRENTS

Edited by:

D.A.V. STOW

University of Southampton, Department of Geology, Southampton SO95NH (U.K.)

and

J.-C. FAUGÈRES

Department of Geology and Oceanography, U.R.A. 197, Avenue des Facultés, 33405 Talence (France)

Contents

Preface 1

Introduction
The concept of deep-sea contourites
C.D. Hollister (Woods Hole, Mass., U.S.A.) 5

Modern and subrecent contourite systems: Atlantic Ocean
Contourites in the Fram Strait
O. Eiken and K. Hinz (Hannover, F.R.G.) 15
Sedimentary characteristics of Late Pleistocene bottom-current deposits, Barents Sea slope off northern Norway
S.H. Yoon and S.K. Chough (Seoul, Korea) 33
The contour-current flow along the southern Iceland–Faeroe Ridge as documented by its bedforms and asymmetrical channel fillings
W.U. Dorn and F. Werner (Kiel, FRG) 47
Shallow Plio–Pleistocene contourites on the Hebrides Slope, northwest U.K. continental margin
A. Leslie (Edinburgh, U.K.) 61
Sedimentation on the Feni Drift and late Glacial bottom water production in the northern Rockall Trough
L.M. Dowling and I.N. McCave (Cambridge, U.K.) 79
Late Quaternary sediment flux on sedimentary drifts in the Northeast Atlantic
M. Cremer, J.-C. Faugères, F. Grousset and E. Gonthier (Talence, France) 89
Mediterranean undercurrent sandy contourites, Gulf of Cadiz, Spain
C.H. Nelson (Menlo Park, Calif.), J. Baraza and A. Maldonado (Barcelona, Spain) 103
Surface sediment response to deepwater circulation on the Blake Outer Ridge, western North Atlantic: paleoceanographic implications
B.J. Haskell and T.C. Johnson (Beaufort, N.C., U.S.A.) 133
Radiolarian contourites record Eocene AABW circulation in the equatorial East Atlantic
M. Sarnthein (Kiel, F.R.G.) and J.C. Faugères (Bordeaux, France) 145
Current-controlled sedimentation in the Equatorial Atlantic: examples from the southern margin of the Guinea Plateau and the Romanche Fracture Zone
F. Westall (Nantes, France), S. Rossi (Bologna, Italy) and J. Mascle (Villefranche-sur-Mer, France) 157
Contour current accumulation off Vema Channel mouth, southern Brazil Basin: pattern of a "contourite fan"
M.-L. Mézerais, J.-C. Faugères (Talence, France), A.G. Figueiredo Jr. (Charitas, Brazil) and Laurent Massé (Talence, France) 173
Contourite drift types and their distribution in the North and South Atlantic Ocean basins
J.-C. Faugères, M.-L. Mézerais (Talence, France) and D.A.V. Stow (Southampton, U.K.) 189

Modern and ancient contourite systems: Mediterranean and West Pacific
Sediment drifts and erosional surfaces in the central Mediterranean: seismic evidence of bottom-current activity
M. Marani, A. Argnani, M. Roveri and F. Trincardi (Bologna, Italy) 207

Photographic evidence of variable bottom-current activity in the Suruga and Sagami Bays, central Japan
H. Okada (Fukuoka, Japan) and S. Ohta (Tokyo, Japan) 221

Ancient contourite systems
Model for turbidite-to-contourite continuum and multiple process transport in deep marine settings: examples in the rock record
D.-J. Stanley (Washington, D.C., U.S.A.) 241
Ordovician contourites in the Lachlan Fold Belt, eastern Australia
B.G. Jones, C.L. Fergusson and P.F. Zambelli (Wollongong, N.S.W., Australia) 257
A fossil carbonate contourite drift on the Lower Ordovician palaeocontinental margin of the middle Yangtze Terrane, Jiuxi, northern Hunan, southern China
T. Duan, Z. Gao (Hubei, China), Y. Zeng (Chengdu, China) and D. Stow (Southampton, U.K.) 271

Synthesis
Bottom-current-controlled sedimentation: a synthesis of the contourite problem
J.-C. Faugères (Talence, France) and D.A.V. Stow (Southampton, U.K.) 287

ExpresSed
Revision of the marine chronology in the Wanganui Basin, New Zealand, based on the isothermal plateau fission-track dating of tephra horizons
B.V. Alloway (Scarborough, Ont., Canada), B.J. Pillans (Wellington, New Zealand), A.S. Sandhu and J.A. Westgate (Scarborough, Ont., Canada) 299